

## React Native (v2.1.x)

Integrate the cmbSDK React-Native component in your App

Download the plugin via npm

\$ npm install cmbsdk-react-native --save

Mostly automatic installation

\$ react-native link cmbsdk-react-native

Import the component in your react-native app by adding this

JavaScript

import { CMBReader, cmbComponent } from 'cmbsdk-react-native';

You can access all of the API methods through cmbComponent constant, and all of the enums and constants are available in the CMBReader class.

Before continuing, download the cmbSDK React-Native zip file from our download section, and see the API reference.

Download page: https://cmbdn.cognex.com/download

API reference: https://www.npmjs.com/package/cmbsdk-react-native

## Integrating cmbSDK iOS React-Native Component

Make sure you have downloaded the cmbSDK React-Native zip archive from our download page. From the downloaded zip file, open the iOS directory.

1. First we need to add the CocoaAsyncSocket dependency. To do that, open the "dependencies" directory and "drag and drop" the CocoaAsyncSocket.framework file in XCode. On the Adding files popup, make sure you have the "Copy items if needed" checked and in "Add to targets" your app checked. If you are using the mobile device's built in camera, do the same with the "MWBScannerImages.xcassets" file located in the iOS/Resources directory.



Constitution pla     Constitution planet     Constitution planet     Constitution planet	#import < React/RCTBundleURLProvider.h>					
T control to Control to a						
Martiscerveria Ancessera	#import <react rctview.h=""></react>					
	Simplementation AppDelegate					
AppDelegate.m						
Images, scassets	- (6000.)application:(ULApplication *)applicat	son didFinishLaunchingWithOp	ions:(NSDictionary *)launchOptions			
	{ NSURL *tsCodeLocation:					
LaunchGoreen.alb	NEIGHL * JACOBLOGATION;					
a main.m	sCodeLocation = [[RCTBundleURLProvider:	sharedSettings] (sitendieURLF)	orBundleRoot:@"Index" fallbackResourcecni];			
V C Ubreries 22						
RCTOrebisk scodeptij		lloc] WIWIthBundleURL:(s0od Name: @"ombRASample"	Location			
in sence according	launch/Op	kons:launchOptions];				
E BCTActionSheet.acodeprej		initWithRed:1.0f green:1.0f				
B RCTRisk acceleproj     RCTGestocation.acceleproj						
KCTGeolocation accoreptig     KCTGeolocation accoreptig		VeraCretrolar manscreen to	1000			
F B RCTLinking scodeproj	rootViewController.view = rootView;					
A second seco		prizoller;				
	[self.window makeKeyAndVisible]; return YES:					
	)					
E B RCTVibration.xcodeproj						
E & RCTWebSocket.xcodeproj	@end					
v Products		CocceAsyncSocke frame				No Selection
📌 cmbRNSample.app		💷 · 🔶 · 🕐	🐺 👻 Q. 2002			
🖻 🎦 Fremeworka	Shared Folder					
	Android >	dependencies	CocceAstr. L/ramework *			
	Exercite >	Resources	<ul> <li>Simulator</li> </ul>			
	ios +					
	READWE/md					
	4 (berrs, 56.34 (08 available					
+ ® Filter OE						
		💟 💿 🕥 📈	💭 📀 🛛 👮 💭 🗐 💮 💮			
			A A A A A A A A A A A A A A A A A A A			

2. Open your targets General settings and add "CocoaAsyncSocket.framework" under "Embedded binaries"

	Zhivko's iPhone 7	CMBSample   Build CM8Sample: Succeeded   Today at 12:42	<u>14</u>	
	😫 < 🗦 🎦 CMBSample			< 🔺 > 🕒 💿
T CMBSample		al Capabilities Resource Tags Info Build Settings	Build Phases Build Rules	Identity and Type
T CMBSample	PROJECT	Hide status bar		Name CMBSample
main.isbundle	CMBSample	Requires full screen		Location Absolute 0
h AppDelegste.h	TARGETS			
AppDelegste.m		App Icons and Launch Images		Full Path /Users/zhivkomanchev/
images.xcassets	A; CMBSample	· · · · · · · · · · · · · · · · · · ·	0	Desktop/react-native/ CMBSample/ios/
Info.plist AunchScreen.xib		App Icons Source Apploon	0	CMBSample.xcodeproj
main.m		Launch Images Source Use Asset Catalog		
T Libraries		Launch Screen File LaunchScreen		Project Document
CocosAsyncSocket.framework				Project Format Xcode 3.2-compatible C
ibRNCmbSdk.a		Embedded Binaries		Organization Facebook
MW8ScannerImages.acassets		CocoaAsyncSocket.frameworkin CMBSample		Class Prefix
RCTAnimation.xcodeproj		Cocours/10000actionentere and oncourspic		Text Settings
🕨 🗎 React.xcodeproj				Indent Using Spaces
RCTActionSheet.xcodeproj				Widths 2 0 2 0
RCTBlob.xcodeproj		+ -		Tab Indent
RCTGeolocation.xcodeproj		Linked Frameworks and Libraries		💙 Wrap lines
RCTImage.xcodeproj RCTLinking.xcodeproj				
RCTLinking.xcodeproj RCTNetwork.xcodeproj		Name	Status	
RCTSettings.acodeproj		🚔 JavaScriptCore.framework	Required C	
RCTText.xcodeproj		1 libRCTBlob.a	Required 0	
RCTVibration.xcodeproj		🚔 CocoaAsyncSocket.framework	Required 0	
RCTWebSocket.xcodeproj		童 libRCTAnimation.a	Required 0	
T CMBSampleTests		童 libReact.a	Required 0	
CMBSampleTests.m		1 libRCTActionSheet.a	Required 0	
Supporting Files		fibRCTGeolocation.a	Required 0	
► E Products		童 libRCTImage.a	Required 0	
Frameworks		童 libRCTLinking.a	Required 0	
		童 libRCTNetwork.a	Required 0	
		fibRCTSettings.a	Required 0	
		☆ libRCTText.a	Required 0	
		libRNCmbSdk.a	Required 0	
		CocoaAsyncSocket.framework	Required 0	
		1 libRCTVibration.a	Required 0	
		fibRCTWebSocket.a	Required 0	
			*	
+ 🖲 Filter 🔿 🖂	Auto 🌣 \mid 💿 🕕	Titer All Output 0	S Filter	

3. In your projects info.plist file you need to add a key depending on the readerDevice type that you are using.

- If you are using the device camera for scanning, add the "NSCameraUsageDescription" key with a description on how your app will use the camera (for example: Scanning barcodes").
- If you're using a MX-1xxx device, you will need to add a "Supported external accessory protocols" array with an item "com.cognex.dmcc". You will also need to follow this <u>GUIDE</u> before publishing your MX-1xxx enabled app to the app store. This is ONLY required for scanning with an MX mobile terminal.

And that's it. You should be able to run your app with the cmbSDK react-native module working.

## Integrating cmbSDK Android React-Native Component

Make sure you have downloaded the cmbSDK React-Native zip archive from our download page. From the downloaded zip file, open the Android/cmbsdk-android-binary directory.

1. Open the **yourRNApp/android/app/** directory, create a new folder named "libs" if there isn't one already, and open it. Place the file "cmbsdklib-release.aar" inside the libs folder. This aar can be found in "Android/cmbsdk-android-binary" from the downloaded zip file

2. Open the app build.gradle located in yourRNApp/android/app and add these lines:



- Above the dependencies add this:

```
repositories {
    flatDir {
        dirs 'libs'
    }
}
```

3. Open the build.gradle located in yourRNApp/android and change the minSdkVersion to 19 or above

And that's it. You should be able to run your app with the cmbSDK react-native module working.